

The  
**best** solution  
that's right for every  
**library.**



# *digital* BookMark™ Copier/Printer

a reliable, space-saving money maker.

Now your library can have it all:  
a vend solution that gives you  
total control over public access  
to printing and copying  
while generating new streams  
of revenue. Plus, the productivity,  
convenience and cost efficiencies  
of a single source for all  
your service and supplies.



## Everything public-access equipment should be.

The Xerox *digital* BookMark is a powerful, easy-to-use networked printing and copying solution. With fewer moving parts, its digital architecture enables the kind of tough reliability you need in a public-access setting. It also sets new performance standards, enabling users to print and copy documents quickly, with results that look like originals.

Xerox *digital* BookMark features:

- A beveled edge on the platen to help books avoid broken backs and replacement costs.
- Enhanced access for wheelchair users.
- One source for service, supplies and support.
- Unique Total Satisfaction Guarantee\*—the ultimate expression of confidence in the performance of our products.

## Choose the vending system that best suits your library.

The Xerox *digital* BookMark is a digital copier/printer that combines access control with the ability to capture valuable revenue. It comes with an optional coin and bill plug-and-play vending option. Other options are available through Xerox Customized Applications Service. They include stand-alone magnetic card reader; coin only; coins, bills and card; or other vend systems compliant with the Xerox Foreign Interface Standard.

## Send your jobs to a desktop or to the *digital* BookMark printer.

Enjoy the convenience of sending print jobs over the network. Or, use a floppy disk right at the device. Designed for efficiency,

*digital* BookMark has a large paper tray capacity of 4,050 sheets. It lets you choose single or multiple copy sets, proof sets, stapled sets and more, at print speeds up to 30 pages per minute.

## Copying was never so easy.

*digital* BookMark makes excellent copies from just about any original, including photos, newspapers and bulky bound documents. Scan your hard-copy original *just once* and print many. The intuitive touch screen display gives you instant access to numerous advanced copy features.

\*Applies to equipment under a Xerox warranty or a Full Service Maintenance Agreement and is subject to certain conditions.

**Call today.**

For full details about the Xerox *digital* BookMark Copier/Printer, speak with your Xerox Sales Representative, call **1-800 ASK XEROX** or visit our Web site at [www.xerox.com](http://www.xerox.com) today.

**Make copies in four easy steps:**

1

*Insert money  
in vend system*

2



*Place originals  
on glass*

3

*Make paper size  
selection*



4

*Press start*



*digital BookMark beveled edge on platen facilitates copying of bound documents and minimizes potential damage.*

*Angled Console enhances access for wheelchair users.*

*Machine Lock ensures that only employees can add or remove paper.*

*Vend Station accepts coins and bills and is rigidly attached to the system. It charges users for walk-up copies and network prints. Jobs submitted via the network are held in the print queue. Each user must select the job on the display and release it by inserting cash into the Vend Station.*

*Media print of print-ready files from diskette copier/printer model.*

*On back of machine, Foreign Interface enables hookup of Xerox Vend Station on the vend solution of your choice.*

# Xerox digital BookMark™ Copier/Printer Specifications

**Call today.**

For full details about the Xerox *digital* BookMark Copier/Printer, speak with your Xerox Sales Representative, call **1-800 ASK XEROX** or visit our Web site at [www.xerox.com](http://www.xerox.com) today.

## Copier or Copier/Printer Basic Configuration



- Scanner
- 4-tray
- Foreign Interface
- Paper tray lock
- Catch tray
- Simplex
- Vend station optional

## Copier or Copier/Printer Basic Configuration



Shown with optional:  
high-capacity  
feeder/finisher

## Copier or Copier/Printer Basic Configuration



Shown with optional:  
high-capacity feeder/  
finisher and vend station

### Vend Copy/Print Speed

- First copy in 5.8 seconds from platen
- Up to 30 pages per minute (8.5" x 11")
- Up to 16 per minute (8.5" x 14")
- Up to 14 per minute (11" x 17")
- Copy selector 1-999

### Originals/Platen/Beveled Edge

- Any size up to 11.7" x 17", including bound or bulky documents.
- Up to a 4 mm border along the edges of each original will not be reproduced.

### Scanning Specifications

- 400 x 400 x 8-bit resolution

### Digital Memory

#### Copier

##### Standard

- 10 MB up to 50 pages 8.5" x 11" @ 5% area coverage

#### Printer

##### SMart Network Controller

##### Processor

High-performance Intel® Celeron 300 MHz processor  
System Disk 4.5GB

### Printing Protocols, Networks and PDL

#### Physical

Ethernet 100BaseT/10BaseT, 10Base2, 10Base5 via adapter, IEEE 1284 Parallel (compatibility mode), IEEE 802.5 Token Ring (optional).

#### Print Drivers

Microsoft Windows 2000/NT 4.0/98/95 PostScript Custom; Microsoft Windows NT 4.0/98/95 PCL Custom; Document Centre PPD for Macintosh, Windows; Macintosh OS 7.x, 8.x, 9.x PostScript Custom; OS/2 Warp PostScript Custom; Windows NT 4.0 DEC Alpha PostScript Custom.

#### PDLs

Adobe PostScript 3, PCL6, TIFF, PDF. Automatic PDL sensing and switching.

#### Fonts

PostScript 3: 136 Adobe PostScript Type 1 fonts.  
PCL6: 45 MicroType fonts.

#### Walkup Print (diskette access)

Accept print jobs from DOS-formatted diskette in PostScript, PCL, TIFF, PDF, or ASCII formats.

#### CentreWare 5.3

Network Services will ship standard with the copier/printer model.

#### Total Satisfaction Guarantee.

If you are not totally satisfied with your Xerox equipment, at your request Xerox will replace it without charge to you with an identical model or a machine with comparable features and capabilities.

### Paper Supply

- Maximum 4,050-sheet paper capacity

#### Four front-loading paper trays

- 500 sheets, customer adjustable from 5.5" x 8.5" to 11" x 17" (5.5" x 8.5" tray 1 recommended)
- 16-24 lb weights including pre-drilled and preprinted stocks, labels and transparencies

#### Bypass tray

- 50 sheets
- 4" x 6" to 11" x 17"
- 16-110 lb weights

#### Optional high-capacity feeder

- 2,000 sheets
- 8.5" x 11" LEF
- 16-110 lb weights

Note: Paper capabilities are based on 20 lb stock; capacities will vary with different weight stocks.

### Zoom Reduction/Enlargement

- Zoom from 25% to 400% in 1% increments
- Anamorphic (independent X and Y direction percentages) capability is standard

### Output

#### Two output trays—standard

- 300 sheet offsetting center tray
- 200 sheet simple left tray

#### Optional Finisher

- 1,000-sheet capacity (20 lb)
- 50-sheet staple head capacity
- 5.5" x 8.5" to 11" x 17" (exception 8.5" x 14")
- 16-110 lb weights

### Electronic Auditron

- Standard—tracks copies only
- 2,000 accounts, access or accounting mode

### Vend Station (optional)

- Coin and bill acceptor
- Foreign Interface Standard for vend system of your choice

### Annotation

- Standard
- Up to 20 characters available for page numbers, comments, and year 2000 compliant date stamp

### Product Configurations

#### Copier/Printer

- Duty cycle 150,000 images
- Recommended average monthly volumes 12,000 to 60,000 images

#### Copier (upgradeable to print)

- Duty cycle 150,000 images
- Recommended average monthly volumes 8,000 to 40,000 images

### Electrical Requirements

- 115/230 VAC, 50/60 Hz, standard single-phase 15-amp power source

### Power Consumption

- Average maximum 1.38KVA @ 115 VAC
- Standby less than 100 watts
- Power saver mode 70 watts, 104 volts

### Environmental Requirements

- Temperature range 50° to 90°F/10° to 32°C
- Relative humidity 15 to 85%

Space	Width	Width w/ vend	Depth	Height
• <i>digital</i> BookMark	40"	57"	28"	42.5"
	1030 mm	1448 mm	710 mm	1080 mm
• <i>digital</i> BookMark w/ HCF and Vend	51.2"	68.2"	28"	42.5"
	1300 mm	1732 mm	710 mm	1080 mm

### Weight

- *digital* BookMark with 4 paper trays 232 lbs/105 kg
- *digital* BookMark with 4 paper trays and finisher 274 lbs/124 kg

Note: Vend station not included.

### Supplies

Print Cartridge	Order #	Expected Yield
		28,000 impressions at 5% area coverage. 18,500 impressions at typical office usage of 7.5% area coverage.
(in the US only)	113R316	Metered CRU.
	113R317	Sold Environmental Partnership CRU.
	113R315	Sold CRU.
(in Canada only)	113R326	Metered CRU.
	113R324	Sold Environmental Partnership CRU.
	113R325	Sold CRU.
	113R315	Sold CRU.
Staple Cartridge (3 per box)	108R53	5,000 per cartridge.



**XEROX**

Worldwide Partner



© 2003 XEROX CORPORATION. All rights reserved. XEROX®, The Document Company®, the digital X® and *digital* BookMark are trademarks of XEROX CORPORATION. Any other products profiled herein are trademarks of their respective companies. In support of Xerox's environmental leadership goals, the *digital* BookMark Copier/Printer may contain some recycled components that are reconditioned. Product appearance, build status, and/or specifications are subject to change without notice. Windows and Windows NT are trademarks of Microsoft Corp. Energy Star® is a trademark of the Environmental Protection Agency. As an Energy Star® Partner, Xerox Corporation has determined that the *digital* BookMark Copier/Printer meets the Energy Star® guidelines for energy efficiency. Terra Choice Environmental Services, Inc., of Canada has verified that this Xerox product conforms to all applicable Environment Choice EcoLogo requirements for minimized impact to the environment. 36 USC 220506 610P710320A